# JARE MOLENTANTON SOLUMENT

## **INSTITUTE OF AERONAUTICAL ENGINEERING**

(Autonomous)

Dundigal, Hyderabad - 500 043

### INFORMATION TECHNOLOGY

#### **DEFINITIONS AND TERMINOLOGY QUESTION BANK**

Course Name		SOFTWARE TESTING METHODOLOGY		
Course Code	:	AIT008		
Program	:	B.Tech		
Semester	:	VII		
Branch	:	Information Technology		
Section	:	A		
Academic Year	:	2019- 2020		
Course Faculty		Mr. E Sunil Reddy, Assistant Professor		

#### **COURSE OBJECTIVES:**

The c	The course should enable the students to:						
I	Understand the concept of software testing objectives, process criteria, strategies and methods.						
II	Demonstrate various software testing issues and solutions in software like unit test, integration, regression and system testing.						
III	Demonstrate the techniques and skills on how to use modern software testing tools to support software testing projects.						
IV	Understand important concepts of complexity metrics and object oriented metrics.						

## DEFINITIONS AND TERMINOLOGY QUESTION BANK

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		UNIT-I	I			
1	What is Software?	Software is a set of programs instructing a computer to do specific tasks. Software is a generic term used to describe computer programs.	Understand	CO 1	CLO1	AIT008.01
2	What is Software Testing?	Software testing is defined as an activity to check whether the actual results match the expected results and to ensure that the software system is defect free.	Remember	CO 1	CLO1	AIT008.01
3	What is Software Testing Methodology ?	It is a framework that is used to structure, plan, and control the process of developing an information system.	Remember	CO 1	CLO1	AIT008.01
4	Define Dichotomy?	Dichotomy is defined as a sharp division of things or ideas into two contradictory parts.	Remember	CO 1	CLO2	AIT008.02
5	Difference between Testing and Debugging?	Testing is a process of finding bugs or errors in a software product that is done manually	Remember	CO 1	CLO 1	AIT008.01

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		by tester or can be automated.				
		Debugging is a process of				
		fixing the bugs found in				
		testing phase. Programmer or				
		developer is responsible for debugging and it can't be				
		automated.				
6	Difference between	Test designer is the person	Remember	CO 1	CLO2	AIT008.02
	Designer versus	who designs the tests where as				
	Tester?	the tester is the one actually				
		tests the code. During				
		functional testing, the designer				
		and tester are probably				
		different persons. During unit testing, the tester and the				
		programmer merge into one	$\overline{}$		3	
		person.				
		Tests designed and executed				
		by the software designers are				
		by nature biased towards				
		structural consideration and				
		therefore suffer the limitations				
7	Difference between	of structural testing.  A module is a discrete, well-	Remember	CO 1	CLO2	AIT008.02
/	Modularity and	defined, small component of a	Kemember	COT	CLO2	A11006.02
	Efficiency?	system. Smaller the modules,				
		difficult to integrate; larger the				
		modules, difficult to				
		understand. Both tests and				
		systems can be modular.				
		Testing can and should				
		likewise be organised into modular components. Small,		-		100
	C1.1	independent test cases can be	- 1	-4		-
	0	designed to test independent			- 1	
		modules.		7		
8	Difference between	In functional testing, the	Remember	CO 1	CLO2	AIT008.02
	Function Versus	program or system is treated		,		
	Structure testing?	as a blackbox. It is subjected	12		700	
	-7	to inputs, and its outputs are verified. Functional testing				
		takes the user point of view-			C	
		bother about functionality and		~ ~		
		features and not the program's	1.0	ů.	-	
		implementation.	1 1 1			
		Structural testing does look at	1			
		the implementation details.				
		Things such as programming style, control method, source				
		language, database design,				
		and coding details dominate				
		structural testing.				
9	Difference between	Most software is written and	Remember	CO 1	CLO2	AIT008.02
	Builder and Buyer?	used by the same				
		organization. Unfortunately, this situation is dishonest				
		because it clouds				
		accountability. If there is no				
		separation between builder				
		and buyer, there can be no				

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		accountability				
10	Define Bug?	A bug is an error in a	Remember	CO 1	CLO1	AIT008.01
		software program.				
		It may cause a program to				
		unexpectedly quit or behave in an unintended manner.				
11	Define Unit	Unit Testing is a level of	Remember	CO 1	CLO3	AIT008.03
11	testing?	software testing where	Kemember	COT	CLOS	A11008.03
	testing.	individual units/ components				
		of software are tested. The				
		purpose is to validate that				
		each unit of the software				
		performs as designed. A unit				
		is the smallest testable part of				
		any software.				
12	Define Integration	Integration Testing is a level	Remember	CO 1	CLO3	AIT008.03
	testing?	of software testing where				
		individual units are combined				
		and tested as a group. The purpose of this level of testing				
		is to expose faults in the				
		interaction between integrated				
		units. Test drivers and test				
		stubs are used to assist in				
		Integration Testing.				
13	Define flow graph?	Flow Graph is defined as a	Understand	CO 1	CLO 3	AIT008.03
		function in a program that can				
		be represented as a control				
		flow graph and the nodes in				
		the flow graph are defined as program statements while the				
		directed edges are the flow of				
		control.				100
14	Define path	Path testing is an approach to	Remember	CO 1	CLO5	AIT008.05
	testing?	testing where you ensure that			- (	
		every path through a program				
		has been executed at least			4	
		once. You normally use a				
		dynamic analyzer tool or test coverage analyzer to check			70	
		that all of the code in a	100		1	
		program has been executed.				
15	Define predicate?	PREDICATE: The logical	Remember	CO 1	CLO5	AIT008.05
	F	function evaluated at a		0		
		decision is called Predicate.	1 1 1			
		The direction taken at a	1 0			
		decision depends on the value	*C =			
		of decision variable. Some				
1.0	Name 41 a 1 ' a 1 a c	examples are: A>0, $x+y>=90$	Dama1	CO1	CI O2	A ITOO 02
16	Name the kinds of loops?	Nested loops Concatenated loops	Remember	CO1	CLO3	AIT008.03
	100ps (	Horrible loops				
17	Define Path	PATH PREDICATE: A	Remember	CO1	CLO5	AIT008.05
1 /	Predicate?	predicate associated with a		201		1111000.03
		path is called a Path Predicate.				
		For example, "x is greater than				
		zero", "x+y>=90", "w is either				
		negative or equal to 10 is true"				
		is a sequence of predicates				
		whose truth values will cause				

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		the routine to take a specific path.				
18	What Is Testing Blindness?	Testing Blindness is a pathological situation in which the desired path is achieved for the wrong reason	Remember	CO1	CLO6	AIT008.06
19	Define control flow graph?	The control flow graph is a graphical representation of a program's control structure. It uses the elements named process blocks, decisions, and junctions.	Understand	CO1	CLO5	AIT008.05
20	Define junction?	A junction is a point in the program where the control flow can merge	Remember	CO1	CLO6	AIT008.06
		UNIT-1	1			
1	Define transaction?	A transaction is a unit of work seen from a system user's point of view.  A transaction consists of a sequence of operations, some of which are performed by a system, persons or devices that are outside of the system.	Understand	CO2	CLO7	AIT008.07
2	What is transaction flow graph?	The transaction flow graph is to create a behavioral model of the program that leads to functional testing.	Remember	CO2	CLO7	AIT008.07
3	Name the different possible interpretations of the decision symbol?	There are three different possible interpretations of the decision symbol. they are 1.Decision 2.Biosis 3.Mitosis	Understand	CO2	CLO7	AIT008.07
4	Define decision?	A transaction is the one which will take one alternative or the other alternative but not both	Remember	CO2	CLO7	AIT008.07
5	Define biosis?	Biosis is the one which will have one incoming transaction gives birth to a new transaction, and both transactions continue on their separate paths, and the parent retains it identity.	Understand	CO2	CLO7	AIT008.07
6	Define mitosis?	Mitosis is the one which will destroy the parent transaction and two new transactions are created	Understand	CO2	CLO7	AIT008.07
7	Define Mergers?	Transaction flow junction points are potentially as troublesome as transaction flow splits.	Understand	CO2	CLO7	AIT008.07
8	Name the different types of junctions?	There are three types of junctions: (1) Ordinary Junction (2) Absorption (3) Conjugation	Remember	CO2	CLO7	AIT008.07

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
9	Define Ordinary Junction?	An ordinary junction which is similar to the junction in a control flow graph. A transaction can arrive either	Understand	CO2	CLO7	AIT008.07
		on one link or the other.				
10	Define Absorption?	In absorption case, the predator transaction absorbs prey transaction. The prey gone but the predator retains its identity	Remember	CO2	CLO7	AIT008.07
11	Define Conjugation?	In conjugation case, the two parent transactions merge to form a new daughter. In keeping with the biological flavor this case is called as conjugation	Understand	CO2	CLO7	AIT008.07
12	What is Data Flow Testing?	Data flow testing is the name given to a family of test strategies based on selecting paths through the program's control flow in order to explore sequences of events related to the status of data objects	Understand	CO2	CLO8	AIT008.08
13	Name the different data object states?	The following symbols denote these possibilities:  Defined: d - defined, created, initialized etc  Killed or undefined: k - killed, undefined, released etc  Usage: u - used for something (c - used in Calculations, p -	Remember	CO2	CLO8	AIT008.08
	(0)	used in a predicate)				
14	What is anomaly?	An anomaly is denoted by a two-character sequence of actions	Understand	CO2	CLO8	AIT008.08
15	Name the Different Data Flow Anomaly States?	Data flow anomaly model prescribes that an object can be in one of four distinct states:  K:- undefined, previously killed, does not exist  D:- defined but not yet used for anything  U:- has been used for computation or in predicate  A:- anomalous	Remember	CO2	CLO8	AIT008.08
		UNIT-I	П			
1	Define Domain Testing?	Domain Testing is a type of Functional Testing which tests the application by giving inputs and evaluating its appropriate outputs.	Remember	CO 4	CLO 9	AIT008.09
2	Define Boundary testing?	Boundary value analysis (BVA) is based on testing at the boundaries between partitions.	Remember	CO 4	CLO 9	AIT008.09

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
3	Explain	This technique is to divide	Remember	CO 4	CLO 10	AIT008.10
	Equivalence Class	(i.e. to partition) a set of test				
	testing?	conditions into groups or sets				
		that can be considered the				
		same'equivalence				
<u> </u>		partitioning.'		~~.		
4	What is	Equivalence partitioning is	Remember	CO 4	CLO 11	AIT008.11
	Equivalence	a software testing technique				
	partitioning?	that divides the input data of a				
		software unit into partitions of equivalent data from which				
		test cases can be derived.				
5	Define Boundary	Boundary value analysis is	Remember	CO 4	CLO 9	AIT008.09
)	value analysis?	a software testing technique in	Kemember	CO 4	CLO	A11000.09
	varue anarysis.	which tests are designed to				
		include representatives of			3	
		boundary values in a range.				
6	Explain Nice	Nice domains have the	Remember	CO 4	CLO 10	AIT008.10
	domains?	following properties: linear			10	
	-	boundaries, boundaries that				
		extend from plus to minus				
		infinity in all variables, have				
		systematic inequality sets,				
		form orthogonal sets, have				
		consistent closures, are				
		convex, and create domains				
		that are all in one piece. Nice				
		domains are easy to test				
		because the boundaries can be				
		tested one at a time,				
		independently of the other				
	D C 1	boundaries.	D 1	90.4	GY 0.10	A VITO 0 0 1 0
7	Define ugly	Domain ambiguities are holes	Remember	CO 4	CLO 10	AIT008.10
	domains?	in the input space.	- 4			
		The holes may lie within the domains or in cracks between			- 1	0
		domains or in cracks between domains				
8	Define interface?	An interface is actually	Damamhar	CO 4	CLO 11	AIT008.11
0	Define interface?	software that consists of sets	Remember	CO 4	CLOTI	A11006.11
		of commands, messages, and			100	
		other attributes that enable				
		communication between a				
		device and a user.		~ ~		
9	Define interface	Interface Testing is defined as	Remember	CO 4	CLO 11	AIT008.11
	testing?	a software testing type which	1 1			
	Č	verifies whether the				
		communication between two				
		different software systems is				
		done correctly.				
10	What are types of	During Interface Testing	Remember	CO 4	CLO 12	AIT008.12
	interface testing?	various types of testing done				
		on the interface which may				
		include Workflow, Edge cases				
		-unexpected values,				
		Performance, load, and				
		network testing, Individual				
		systems				
11	Define Decision	A Decision Table Testing is a	Remember	CO 4	CLO 12	AIT008.12
	Table Testing?	good way to deal with				
		different combination of				

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		inputs which produce different				
		results. It is also called Cause-				
		Effect Table. It provides a systematic way of stating				
		complex business rules, which				
		is useful for developers as				
		well as for testers.				
12	What is Logic-	Logicbasedtesters design tests	Remember	CO 4	CLO 12	AIT008.12
	based testing?	from logical expressions that				
		appear in software artifacts such as source code, design				
		models, and requirements				
		specifications				
13	What is KV chart?	KV Charts for Functions of	Remember	CO 4	CLO 13	AIT008.13
		a Single Variable. The charts				
		show all possible truth values	The same of the sa			
		that the variable A can have.  A "1" means the variable's				
		A "1" means the variable's value is "1" or TRUE				
14	Define Path	Path instrumentation is what	Remember	CO 4	CLO 11	AIT008.11
	instrumentation?	we have to do to confirm that				
		the outcome was achieved by				
1.5	W/I	the intended path.	D.	GO 1	CI O 12	A TTP000 12
15	What is Path	Path testing is an approach	Remember	CO 4	CLO 12	AIT008.12
	testing?	to testing where you ensure that every path through a				
		program has been executed at				
		least once				
			E 7			
		UNIT-I	V			
1	What is path?	Path is a structural testing	Remember	CO4	CLO14	AIT008.14
	600	method based on the source	_ 70			
	-	code or algorithm and NOT based on the specifications.	- 4			
2	Define path product	The name of a path that	Understand	CO4	CLO14	AIT008.14
2	Define paul product	consists of two successive	Understand	CO4	CLO14	A11006.14
		path segments is conveniently	_			
	4.1	expressed by the			500	
	-7	concatenation or Path Product				
2	Define and	of the segment names.	TT. 3 1	CO.1	CLO14	A I/T/0/00 1 4
3	Define path Expression	Any expression that consists of path names and "OR"s and	Understand	CO4	CLO14	AIT008.14
	Lapicssion	which denotes a set of paths	0.83			
		between two nodes is called a	2 / 1			
		"Path Expression."				
4	What is path sum?	The "+" sign was used to	Remember	CO4	CLO14	AIT008.14
		denote the fact that path				
		names were part of the same set of paths. The "PATH				
		SUM" denotes paths in				
		parallel between nodes.				
5	What is Absorption	If X and Y denote the same	Remember	CO4	CLO14	AIT008.14
	rule?	set of paths, then the union of				
		these sets is unchanged;				
1		consequently.				
	T	A 1' 4' C 4	D .	C	OT O11	A T/T/2000 1 1
6	List out	Applications of path	Remember	CO4	CLO14	AIT008.14
6	List out applications of path	Applications of path expression are 1.Node Reduction Algorithm	Remember	CO4	CLO14	AIT008.14

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
	expression.	2.Maximum path count				
		Arithmetic				
		3.Lower path count Arithmetic				
7	Write any two	1. Convert the program or	Remember	CO4	CLO15	AIT008.15
,	•	graph into a path expression.	Kemember	CO+	CLOIS	A11000.13
	patterns of Node Removal Algorithm	2. Identify a property of				
		interest and derive an				
		appropriate set of "arithmetic"				
		rules that characterizes the				
0	What is	property.	Remember	CO4	CLO14	AIT008.14
8	distributive	The product and sum operations are distributive,	Remember	CO4	CLO14	A11008.14
	law?	and the ordinary rules of	_	_		
		multiplication apply; that is				
		The same of the sa	-	-		
		A(B+C)=AB+ACand				
9	What is flow-	(B+C)D=BD+CD	Remember	CO4	CLO17	AIT008.17
9	anomaly detection	The generic flow-anomaly detection problem (note: not	Remember	CO4	CLO17	A11006.17
	problem?	just data-flow anomalies, but				
	1	any flow anomaly) is that of				
		looking for a specific				
		sequence of options				
		considering all possible paths				
10	What is structured	through a routine.  Structured code can be	Remember	CO4	CLO14	AIT008.14
10	flow graph?	defined in several different	Remember	CO4	CLO14	A11000.14
	3.3 ··· 8.4F.3.	ways that do not involve ad-				
		hoc rules such as not using				
		GOTOs. A structured flow				
		graph is one that can be		-		
	6.00	reduced to a single link by	m- 711	-4		-
	(3)	successive application of the	. 4			
		transformations.				-
11	What is the	A reduction procedure for	Remember	CO4	CLO15	AIT008.15
	necessity of using	converting a flow graph		,		
	Reduction	whose links are labeled with		7	100	
	procedure	names into a path expression		- /	1.	
	Algorithm?	that denotes the set of all		-77	0	
		entry/exit paths in that flow		~ ~	ì	
		graph. The procedure is a	1. 1.	0		
		node-by-node removal	2 / '			
		algorithm.		~~.	GT 6.17	
12	Write first	Combine all serial links	Remember	CO4	CLO15	AIT008.15
	three steps in Reduction	by multiplying their path expressions.				
	Algorithm?	<ul><li>Combine all parallel links</li></ul>				
		by adding their path				
		expressions.				
		Remove all self-loops				
		(from any node to itself)				
		by replacing them with a link of the form X*, where				
		X is the path expression of				
		the link in that loop.				
13	What is Regular	A Sequence of symbols and	Remember	CO4	CLO16	AIT008.16
	Expression?	characters expressing a string				

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		or pattern to be searched for				
1.4	***	with in a longer piece of text.	D 1	CO.4	CI 015	A ITOOO 15
14	What are the	There are two ways of loop removal operations.	Remember	CO4	CLO15	AIT008.15
	ways of loop	1.We remove the self-loop				
	removal	and then multiply all				
	operations?	outgoing links by Z				
		2. We split the node in to				
1.7	***	two equivalent nodes.	** 1	GO.1	GY 0.15	1 YES 00 15
15	What is the purpose of using	This model can be used to answer several different	Understand	CO4	CLO17	AIT008.17
	PUSH/POP and	answer several different questions that can turn up in				
	GET/RETURN	debugging. It can also help				
	model?	decide which test cases to				
		design.				
16	Define Path	Path testing is a structural	Understand	CO4	CLO14	AIT008.14
	Testing?	testing method that involves				
		using the source code of a program in order to find every				
		possible executable path. It				
		helps to determine all faults				
		lying within a piece of code.				
		This method is designed to				
		execute all or selected path				
17	XXI 1 . 0	through a computer program.	D 1	GO 4	CI O15	A ITEO 00 15
17	What is a loop?	Loop can be understood as an infinite set of parallel paths.	Remember	CO4	CLO15	AIT008.15
18	Give an example	XY=abcdefghij	Understand	CO4	CLO14	AIT008.14
10	of path product.	YX=fghijabcde	Chacistana	COT	CLOTT	7111000.11
	T. T	AX=aabcde				
		Xa=abcdea				
10	**	XaX=abcdeaabcde	** 1	GO.4	GY O 1 F	1 XTT000 15
19	How can we use	Huang's theorem can be	Understand	CO4	CLO17	AIT008.17
	Huang`s theorem?	easily generalized to cover sequences of greater length	. 4		- 4	
	theorem.	than two characters.				
20	How can we	Based on the Following	Understand	CO4	CLO14	AIT008.14
	consider paths in	Constraints:				
	a flow graph?	1. What is the maximum			100	
		number of different paths				
		possible? 2. What is the fewest number			C.	
		of paths possible?		~ V		
		3. How many different paths	1. 1.		-	
		are there really?	2 / 7			
		4. What is the average				
		number of paths?				
		UNIT-V	V			
1	Define state?	A state is defined as a	Remember	CO5	CLO18	AIT008.18
		combination of circumstances	110111001	203	22010	111000.10
		or attributes belonging for the				
		time being to a person or				
	<b>D</b> C = -	thing.	<b>D</b> .		GI O 1 2	A TENODO 12
2	Define state graph?	A state graph is a graphical	Remember	CO5	CLO18	AIT008.18
		representation of the program in terms of states, transitions,				
		inputs and outputs.				
		1 1 "T"" '	1		ı	

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
3	Define transition?	Transitions are denoted by links that join the states	Remember	CO5	CLO18	AIT008.18
4	Define finite-state machine?	A finite-state machine is an abstract device that can be represented by a state graph having a finite number of states and a finite number of transitions between states.	Remember	CO5	CLO18	AIT008.18
5	Define Equivalent States	Two states are equivalent if every sequence of inputs starting from one state produces exactly the same sequence of outputs when started from the other state	Remember	CO5	CLO18	AIT008.18
6	What is State Transition in Testing?	State Transition testing is defined as the software testing technique in which changes in input conditions cause's state changes in the Application under Test (AUT).	Remember	CO5	CLO18	AIT008.18
7	Name the components of state transition diagram?	1.States 2.Transitions 3.Events 4.Actions	Remember	CO5	CLO20	AIT008.20
8	Define state transition diagram?	In state transition diagram the states are shown in boxed texts, and the transition is represented by arrows. It is also called State Chart or Graph. It is useful in identifying valid transitions	Remember	CO5	CLO20	AIT008.20
9	Define state transition table?	In state transition table all the states are listed on the left side, and the events are described on the top. Each cell in the table represents the state of the system after the event has occurred. It is also called State Table. It is useful in identifying invalid transitions.	Remember	CO5	CLO 20	AIT008.20
10	Name the different ways to represent or design state transition?	There are two ways to represent state transition.  1.Statetransitiondiagram  2.State transition table.	Remember	CO5	CLO19	AIT008.19
11	Define event?	An Event is an action launched by an external hardware device and manipulated by software code. Events allow objects to notify client objects about important activities.	Remember	CO5	CLO18	AIT008.18
12	Define dead state?	A dead state is a state that once entered cannot be left.	Understand	CO5	CLO20	AIT008.20
13	Difference between good and bad state graph?	Bad State graphs contain un reachable states. Possibility of reaching every state from every other state is zero, Also, it is not possible to reach start state form itself.	Understand	CO5	CLO19	AIT008.19

S.No	QUESTION	ANSWER	<b>Blooms Level</b>	CO	CLO	CLO Code
		In good state graph the total number of states is equal to the product of the possibilities of the factors that make up the state For every state and input, there is exactly one transition specified to exact one, possibly the same state.				
14	Define Number of States?	The number of states in a state graph is the number of states we choose to recognize or model  1. Identify all the component factors of the state.  2. Identify all the allowable values for each factor.  3. The number of states is the product of the number of allowable values of all the factors.	Remember	CO5	CLO18	AIT008.18
15	Define Output?	An output can be associated with any link. Outputs are denoted by letters or words and are separated from inputs by a slash.	Remember	CO5	CLO18	AIT008.18

Signature of the Faculty

HOD, IT